



☒ OSAPA Pilot: Search Engine I (long site list) ☐ Web Search

Results 1 - 10 for master slave negotiation OR arbitration. (0.27 seconds)

Refine results for master slave negotiation OR arbitration:

[Distros: debian, redhat, suse and ubuntu.](#)

[kernel.org: Linux kernel code repository.](#)

[Linux Man Pages](#)

[Silicon Graphics Documentation](#)

[BSD operating systems](#)

[freshmeat: catalog of UNIX applications.](#)

[Desktop Projects: GNOME, KDE, X, freedesktop.](#)

[SourceForge: host website for OSS development pro](#)

[\[#AMQ-1257\] Pure Master/Slave configuration doesn't work - Apache ...](#)



Pure Master/Slave configuration doesn't work WireFormatNegotiator -

tcp://10.160.160.54:57884 before negotiation: OpenWireFormat{version=2, ...

issues.apache.org/activemq/browse/AMQ-1257 - 47k - [Cached](#)

[NS9750 I2C Master/Slave Emulation](#)

The Netsilicon NS9750/NS9360 has a builtin I2C Master and a Slave. ... The NS9750 I2C master does not release the SCL line on Arbitration loss. ...

softgun.sourceforge.net/ns9750i2c.shtml - 4k - [Cached](#)

[Open source : BlueHoc Web site](#)

The L2CAP level QoS negotiation is yet to be implemented. ... Reservations are made only in the forward (master to slave) direction. ...

bluehoc.sourceforge.net/tutorial/docpage1.html - 17k - [Cached](#)

[CHAPTER 5 - Configuring the Driver Parameters](#)

Manually forcing master or slave can help reduce time to link with some ... the speed/duplex options that will be # advertised during auto-negotiation. ...

docs.sun.com/source/819-7573-11/5_LP_driverparams.html - 28k - [Cached](#)

[\[PPT\] Bluetooth Tutorial](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Authentication, pairing, encryption. Exchanging clock/slot offset information. Switching of master/slave roles. Changing power modes. QoS negotiation. ...

bluehoc.sourceforge.net/pres/pres3/bt-pres_files/bt-pres.ppt

[The R Command](#)

This is a request by the master to receive a file from the slave. ... SIZE This only appears if Taylor UUCP size negotiation is being used. ...

docs.freebsd.org/info/uucp/uucp.info.The_R_Command.html - 5k - [Cached](#)

[e1000\(7D\) – Intel PRO/1000 Gigabit family of network interface ...](#)

This is a bitmap for the speeds advertised during auto-negotiation. ... Controls the PHY master/slave setting. Manually forcing master or slave can reduce ...

docs.sun.com/app/docs/doc/816-5177/e1000-7d?a=view - 24k - [Cached](#)

[mbsync](#)

Specify the Master resp. Slave Store to be connected by this Channel. If mailbox is omitted, ... The mailbox names are the same on both Master and Slave. ...

isync.sourceforge.net/mbsync.html - 45k - [Cached](#)

SK98LIN

Possible values are: Auto , Master or Slave whereas Auto is the default. Usually, the role of a port is negotiated between two ports during link ...

www.linuxmanpages.com/man4/sk98lin.4.php - 22k - [Cached](#)

'Re: [i2c] [patch 2.6.23-rc6] i2c-algo-bit whitespace fixes (+)' - MARC

Oct 17, 2007 ... Best to think of arbitration as not > yet supported. + * > + * On the other hand, a slave NAKing the master means > + * the slave ...

marc.info/?l=i2c&m=119260991310662&w=2 - 20k - [Cached](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



☒ OSAPA Pilot: Search Engine I (long site list) ☐ Web Search

Results 1 - 10 for syncml application specific. (0.53 seconds)

Refine results for syncml application specific:

[Distros: debian, redhat, suse and ubuntu.](#)
[kernel.org: Linux kernel code repository.](#)
[Linux Man Pages](#)
[Silicon Graphics Documentation](#)
[BSD operating systems](#)
[freshmeat: catalog of UNIX applications.](#)
[Desktop Projects: GNOME, KDE, X, freedesktop.](#)
[SourceForge: host website for OSS development pro](#)

[freshmeat.net: Search results - +syncml](#)

An open source SyncML mobile application platform. Homepage · Tar/GZ · Changelog ·

Subscribe · Ignore · Rate ... Try your query on specific site sections: ...

[handhelds.freshmeat.net/search/?q=%2Bsyncml§ion=projects](#) - 34k - [Cached](#)


[freshmeat.net: Search results - +syncml](#)

An open source SyncML mobile application platform. A connector that provides

SyncML support for SOGo. ... Try your query on specific site sections: ...

[unix.freshmeat.net/search/?Go.x=1&Go.y=1&q=syncml§ion=projects](#) - 71k - [Cached](#)

[Calendar:Device Sync - MozillaWiki](#)

Perhaps a generic SyncML support would be great, so conduit sync could be if you want to sync yor own PPC application with an application on your PC ...

[wiki.mozilla.org/Calendar:Device_Sync](#) - 25k - [Cached](#)

[redhat.com | Application Profile Display](#)

Funambol v3 is based on SyncML, which is also known as the Open Mobile Alliance ... Each edition also delivers specific benefits for specific users: • The ...

[https://www.redhat.com/apps/isv_catalog/AppProfile.html?application_id=3633](#) - 14k - [Cached](#)

[Ubuntu brainstorm](#)

1) Clean up the Opensync and SyncML plugin packages to work properly with ... Perhaps this is more of an ssh request than an Ubuntu-specific request (though ...

[brainstorm.ubuntu.com/contributor/greg.hager/ideas__commented/](#) - 25k - [Cached](#)

[1 10.33 57376 2005-11-20 10:53:58 2005-12-07 13:31:49 ...](#)

A specific area can be displayed by entering a street address (street number, funambol

Funambol An open source SyncML mobile application platform. ...

[handhelds.freshmeat.net/search-xml/?q=%2Bpocketpc](#) - 41k - [Cached](#)

[Sync4j 0.1](#)

There are specific SQL scripts for the most common database systems and the ... (it has to be specified in the target of a SyncML synchronization request), ...

[sync4j.sourceforge.net/web/release/0.1/main.php?main=configuration.html](#) - 24k - [Cached](#)

[Search \[Savannah\]](#)

An elisp package which extends the BBDB database to behave as a SyncML client. ... The data can be modeled using either polynomials or a more specific ...
savannah.gnu.org/search/?type_of__search=soft&words=*&offset=25&max_rows=25 - 19k - [Cached](#)

[freshmeat.net: Project details for eGroupWare](#)

A new TimeSheet application. SyncML to synchronise cell phones, PDAs, and Outlook. installed or do I need to put the egw-ear in a specific directory? ...
freshmeat.net/releases/224843/ - 43k - [Cached](#)

[WspUtil xref](#)

See the License 11 * for the specific language governing rights and limitations under the 12 367 myWspPushAppTypes.put("x-wap-application:syncml.dm", ...
smsj.sourceforge.net/xref/org/marre/wap/WspUtil.html - 102k - [Cached](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



syncml

Search

OSAPA Pilot: Search Engine I (long site list) Web Search

Results 1 - 10 for syncml. (0.26 seconds)

Refine results for syncml:

[Distros: debian, redhat, suse and ubuntu.](#)

[kernel.org: Linux kernel code repository.](#)

[Linux Man Pages](#)

[Silicon Graphics Documentation](#)

[BSD operating systems](#)

[freshmeat: catalog of UNIX applications.](#)

[Desktop Projects: GNOME, KDE, X, freedesktop.](#)

[SourceForge: host website for OSS development pro](#)

[SourceForge.net: SyncML C Toolkit](#)

SyncML C Reference Toolkit. The purpose of this toolkit is to provide a reference implementation of the SyncML protocols. The toolkit is designed for both ...

[sourceforge.net/projects/syncml-ctoolkit/](#) - 35k - [Cached](#)



[freshmeat.net: Project details for SyncML](#)

SyncML is the common language for synchronizing all devices and applications ... SyncML leverages eXtensible Markup Language (XML), making SyncML a truly ...

[freshmeat.net/projects/syncml/](#) - 23k - [Cached](#)

[SourceForge.net: SyncML Conformance Test Suite](#)

SyncML DS 1.2 SyncML Conformance Test Suite is a tool to check if the Test Object implements all the mandatory features of the SyncML Device Management and ...

[sourceforge.net/projects/oma-scts/](#) - 33k - [Cached](#)

[SyncML \(kxml API\)](#)

[org.kxml2.wap.syncml](#) Class SyncML. java.lang.Object extended by

[org.kxml2.wap.syncml.SyncML](#). public abstract class SyncML; extends java.lang.Object ...

[kxml.sourceforge.net/kxml2/javadoc/org/kxml2/wap/syncml/SyncML.html](#) - 14k - [Cached](#)

[Debian -- Details of package opensync-plugin-syncml in etch](#)

Opensync SyncML plugin. ... An SyncML plugin for opensync. This allow to synchronize against devices which support the SyncML standard. ...

[packages.debian.org/stable/libs/opensync-plugin-syncml](#) - 15k - [Cached](#)

[org.kxml2.wap.syncml \(kxml API\)](#)

Package [org.kxml2.wap.syncml](#). Class Summary. SyncML · Overview, Package, Class, Use · Tree · Deprecated · Index · Help · PREV PACKAGE NEXT PACKAGE ...

[kxml.sourceforge.net/kxml2/javadoc/org/kxml2/wap/syncml/package-summary.html](#) - 7k -

[Cached](#)

['Re: \[kronolith\] SyncML - Calendar' - MARC](#)

After Upgrading from Webmail 1.1 RC2 to 1.1.1 there was no previous sync session shown in horde syncml settings, but still data in horde_syncml_map. ...

[marc.info/?l=kronolith&m=121515434225774&w=2](#) - 4k - [Cached](#)

[SourceForge.net: SyncMLDotNet](#)

SyncML Universe SyncML.NET Client API C# is a set of The source code SyncML.NET Client API is released 2008-05-18; SyncML Client for Open Contacts ...
sourceforge.net/projects/syncmldotnet - 31k - [Cached](#)

['\[cvs\] commit: framework/SyncML/SyncML Backend.php' - MARC](#)

List: horde-cvs Subject: [cvs] commit: framework/SyncML/SyncML Backend.php From: "Jan Schneider" <jan () horde ! org> Date: 2008-07-18 9:18:40 Message-ID: ...
marc.info/?l=horde-cvs&m=121637270600886&w=2 - 3k - 7 hours ago - [Cached](#)

[org.kxml2.wap.syncml \(kxml API\)](#)

[org.kxml2.wap.syncml. Classes SyncML.](#)

kxml.sourceforge.net/kxml2/javadoc/org/kxml2/wap/syncml/package-frame.html - 2k - [Cached](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



client server role negotiation

Search

OSAPA Pilot: Search Engine I (long site list)
 Web Search

Results 1 - 10 for client server role negotiation. (0.35 seconds)

Refine results for client server role negotiation:

[Distros: debian, redhat, suse and ubuntu.](#)
[kernel.org: Linux kernel code repository.](#)
[Linux Man Pages](#)
[Silicon Graphics Documentation](#)
[BSD operating systems](#)
[freshmeat: catalog of UNIX applications.](#)
[Desktop Projects: GNOME, KDE, X, freedesktop.](#)
[SourceForge: host website for OSS development pro](#)

[Net-Policy tutorial](#)

Create the telnet server role. If you have done the notification example, and already have the host west as a client:. Click on Manage host roles, ...

[net-policy.sourceforge.net/tutorial/tutorial-cvs.html](#) - 25k - [Cached](#)



[HTTP/1.1 Redraft: Combined Table of Contents](#)

4.1 Server-driven Negotiation; 4.2 Agent-driven Negotiation ... 2.1.5 Exceptions to the Rules and Warnings; 2.1.6 Client-controlled Behavior ...

[labs.apache.org/webarch/http/draft-fielding-http/outlineALL.html](#) - 54k - [Cached](#)

[4. Managing Network File Systems \(Overview\) \(System Administration ...](#)

A computer can assume the role of client, server, or both client and server NFS version 4 fully integrates all the security negotiation that was added ...

[docs.sun.com/app/docs/doc/816-4555/rfsintro-2?a=view](#) - 43k - [Cached](#)

[The CHAP Secrets File](#)

CHAP secrets for vlager.vbrew.com # # client server secret addrs ... For instance, if c3po requests to use an IP address during IPCP negotiation that is not ...

[tldp.org/LDP/nag/node121.html](#) - 6k - [Cached](#)

[Setting Up NFS Services \(System Administration Guide: Network ...](#)

How to Select Different Versions of NFS on a Server. Select a different version of NFS on the client. Steps to select a different version of NFS on the ...

[docs.sun.com/app/docs/doc/816-4555/rfsadmin-68?l=ru&a=view](#) - 30k - [Cached](#)

[Mailing list archives](#)

Sep 23, 2005 ... I got the following error when I tried to start the client. to supply the security info for csiv2 negotiation with > >> the server. ...

[mail-archives.apache.org/.../200509.mbox/](#)

[%3C20050923145509.3780.qmail@web32508.mail.mud.yahoo.com%3E](#) - 16k - [Cached](#)

[29. Solaris NFS Environment \(System Administration Guide, Volume 3\)](#)

A computer can play the role of client, server, or both at any given time on a network. Security Negotiation for the WebNFS Service ...

[docs.sun.com/app/docs/doc/806-0916/6ja8539fd?a=view](#) - 27k - [Cached](#)

[The Enhanced Network Block Device](#)

The client is the survivor. It takes the role of the server with Add a "close" command to the negotiation protocols so that either side can choose to ...

[enbd.sourceforge.net/](#) - 44k - [Cached](#)

[SourceForge.net: View a User Profile](#)

Web Designer - Layout, Graphic Design, Multimedia Web Developer - Database, Client-side, Server-side Brainbench O*net based Job Role Certifications: ...

[sourceforge.net/people/viewprofile.php?user_id=12847](#) - 56k - [Cached](#)

[Debian -- Details of package xmltv-util in sid](#)

dep: libsoap-lite-perl: Client and server side SOAP implementation ... 0.2.4): Perl module which allows language content negotiation ...

[packages.debian.org/unstable/interpreters/xmltv-util](#) - 17k - [Cached](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



syncml negotiation

Search

OSAPA Pilot: Search Engine I (long site list) Web Search

Results 1 - 10 for syncml negotiation. (0.36 seconds)

Refine results for syncml negotiation:

[Distros: debian, redhat, suse and ubuntu.](#)

[kernel.org: Linux kernel code repository.](#)

[Linux Man Pages](#)

[Silicon Graphics Documentation](#)

[BSD operating systems](#)

[freshmeat: catalog of UNIX applications.](#)

[Desktop Projects: GNOME, KDE, X, freedesktop.](#)

[SourceForge: host website for OSS development pro](#)

[freshmeat.net: Welcome to freshmeat.net](#)

It works around a rare compression protocol negotiation problem. NET, XMLA, SQL, SPARQL, XQuery, SOAP, HTTP, WebDAV, SyncML, Atom (Publishing and ...
osx.freshmeat.net/



['\[fm-news\] Newsletter for Tuesday, September 25th 2007' - MARC](#)

... incident tracking), TimeSheet, SyncML support, and SiteMgr or JiNN (content management). ... The Telnet adapter now supports terminal type negotiation. ...
marc.info/?l=freshmeat-news&m=119079078801708&w=2 - 61k - [Cached](#)

[freshmeat.net: Releases announced Friday, February 08th 2008](#)

Feb 8, 2008 ... and automatic negotiation of firewalls or routers. ... About: The Funambol SOGo Connector allows any SyncML enabled devices (mobile ...
freshmeat.net/daily/2008/02/08/skip_frontpage/ - 143k - [Cached](#)

['\[fm-news\] Newsletter for Wednesday, November 01st 2006' - MARC](#)

... HTTP authentication, content negotiation, configurable HTTP headers, The built in SyncML server was improved and supports the latest Symbian ...
marc.info/?l=freshmeat-news&m=119041487804517&w=2 - 99k - [Cached](#)

[freshmeat.net: Releases announced Thursday, December 13th 2007](#)

Dec 13, 2007 ... NET, XMLA, SQL, SPARQL, XQuery, SOAP, HTTP, WebDAV, SyncML, ...
Changes: This release includes transparent content-negotiation for ...
freshmeat.net/daily/2007/12/13/skip_frontpage/ - 261k - [Cached](#)

['\[fm-news\] Newsletter for Friday, February 08th 2008' - MARC](#)

... allows any SyncML enabled devices (mobile phones, PIM devices, etc. end-to-end encryption, and automatic negotiation of firewalls or routers. ...
marc.info/?l=freshmeat-news&m=120254473021785&w=2 - 54k - [Cached](#)

[freshmeat.net: Releases announced Monday, June 23rd 2008](#)

Jun 23, 2008 ... further optimizing queries, and improving content negotiation. POP3, SMTP, CIFS, CSV, WebDAV, LDAP, and SyncML under one platform. ...
freshmeat.net/daily/2008/06/23/ - 222k - [Cached](#)

['\[fm-news\] Newsletter for Tuesday, February 12th 2008' - MARC](#)

... the ability to index multilingual sites using content negotiation, searching of all of

NET, XMLA, SQL, SPARQL, XQuery, SOAP, HTTP, WebDAV, SyncML, ...
marc.info/?l=freshmeat-news&m=120289036829402&w=2 - 72k - [Cached](#)

Current problem reports

May 26, 2008 ... disk o kern/107850 [bce] bce driver link negotiation is faulty o o
ports/121632 lippe New port: comms/libsyncml - SyncML library ...
lists.freebsd.org/pipermail/freebsd-bugs/2008-May/030842.html - 400k - [Cached](#)

'[fm-news] Newsletter for Sunday, January 28th 2007' - MARC

... and messages, provides means for negotiation of clients' preferred language and
charset, Changes: Support for syncing tasks over SyncML was added, ...
marc.info/?l=freshmeat-news&m=119041488604605&w=2 - 64k - [Cached](#)

1 2 [Next](#)

[Search within results](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)